







How it should display

Suppose we want to define `int main()`:

```
#include <iostream>
int main ( int argc, char **argv ) {
    std::cout << "Hello World!";
    return 0;
}
```

B *I*    Advanced ▸ Special characters ▸ Help

Heading ▾ List    Size **A⁺** **A⁻** Baseline **A⁺** **A⁻** Ins

Suppose we want to define `<code>int main()</code>`:

```
<source lang=c++>#include <iostream>
int main ( int argc, char **argv ) {
    std::cout << "Hello World!";
    return 0;
}</source>
```



Safari 4




Preview

Remember that this is only a preview; your changes have not yet been saved!

Suppose we want to define `int main()`:

```
#include <iostream>int main ( int argc, char **argv ) {    std::cout << "Hello World!";    return 0;}
```

B *I*    Advanced ▸ Special characters ▸ Help || Hide content

Heading ▾ List    Size **A⁺** **A⁻** Baseline **A⁺** **A⁻** Insert     Port Washir




Suppose we want to define `<code>int main()</code>`:








```
<source lang=c++>#include <iostream>int main ( int argc, char **argv ) {    std::cout << "Hello World!";    return 0;}</source>
```

Chrome 4

Suppose we want to define `int main()`:

```
#include <iostream>int main ( int argc,  char **argv ) {    std::cout << "Hello World!";    return 0;}
```

B *I*    ▾ Advanced ▸ [Special characters](#) ▸ [Help](#) || Hi

Heading ▾ List    Size **A⁺** **A⁻** Baseline **A⁺** **A⁻** Insert    

Suppose we want to define `int main()`:
<source lang=cpp>#include <iostream>int main (int argc, char **argv) { std::cout << "Hello World!"; return 0;}</source>